



TITLE:

Vol.6 表紙・総目次・Record of Works for 1955

AUTHOR(S):

CITATION:

Vol.6 表紙・総目次・Record of Works for 1955. PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY 1958, 6(3)

ISSUE DATE:

1958-06-20

URL:


<http://hdl.handle.net/2433/174586>

RIGHT:

KYOTO UNIVERSITY

PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY

Volume VI



SIRAHAMA, WAKAYAMA-KEN, JAPAN

PUBLISHED BY THE LABORATORY

1957-1958

CONTENTS

No. 1 (June 30, 1957)

1. **Utinomi, H.:** Studies on the Cirripedia Acrothoracica. I. Biology and external morphology of the female of *Berndtia purpurea* Utinomi..... 1
2. **Kuroda, T. and Habe, T.:** On a new genus of the family Oocoryidae 27
3. **Tanaka, O.:** The pelagic copepods of the Izu region, middle Japan. Systematic account. III. Family Aetideidae (Part 1) 31
4. **Baba, K.:** The species of the genus *Elysia* from Japan. 69
5. **Miyake, S.:** A new porcellanid crab from middle Japan. 75
6. **Mori, S. and Ondô, Y.:** Daily rhythmic activity of the sea-pen, *Cavernularia obesa* Valenciennes. XV. Controlling of the activity by light (3). 79
7. **Harada, E.:** Ecological observations on the Japanese spiny lobster, *Panulirus japonicus* (von Siebold), in its larval and adult life. 99

No. 2 (December 25, 1957)

8. Yanosuke Saika (1888-1957). 125
9. **Habe, T.:** Report on the Mollusca chiefly collected by the S.S. Sôyô-maru of the Imperial Fisheries Experimental Station on the continental shelf bordering Japan during the years 1922-1930. Part 2. Scaphopoda. 127
10. **Tokioka, T.:** Chaetognaths collected by the Sôyô-maru in the years 1934 and 1937-1939. 137
11. **Utinomi, H.:** The alcyonarian genus *Bellonella* from Japan, with descriptions of two new species. 147
12. **Tanaka, O.:** The pelagic copepods of the Izu region, middle Japan. Systematic account. IV. Family Aetideidae (Part 2). 169
13. **Yamazi, I.:** Plankton investigation in inlet waters along the coast of Japan. XX. Diurnal change of plankton animals at an innermost station in Wakayama harbor. 209
14. **Morikawa, K.:** Terrestrial fauna of Kashima islets in the Bay of Tanabe, Wakayama Prefecture. 225

No. 3 (June 20, 1958)

15. **Habe, T.:** Report on the Mollusca chiefly collected by the S.S. Sôyô-maru of the Imperial Fisheries Experimental Station on the continental shelf bordering Japan during the years 1922-1930. Part 3. Lamellibranchia (1). ... 241
16. **Utinomi, H.:** Studies on the Cirripedian fauna of Japan. VII. Cirripeds from Sagami Bay. 281

17. **Tokioka, T.:** Contributions to Japanese Ascidian fauna. XII. Sporadic memoranda (3). 313
18. **Tanaka, O.:** The pelagic copepods of the Izu region, middle Japan. Systematic account. V. Family Euchaetidae. 327
19. **Yamaguti, S.:** Studies on the helminth fauna of Japan. Part 52. Termatodes of fishes, XI. 369
20. **Utinomi, H. and Harada, E.:** A list of bottom animals collected by a trawler "Kaiun-maru" off the southwest coast of Kii Peninsula. 385

Record of Works done at the Seto Marine Biological Laboratory (for 1955). 121

RECORD OF WORKS

DONE AT THE SETO MARINE BIOLOGICAL LABORATORY

1955 (昭和30年)

Contribution
No. (Jap. No.)

- HABE, Tadashige [波部忠重]: 函館港の貝類遺骸 (Shell remains in Hakodate Harbour). 新生代の研究 [Sinseidai no Kenkyu], No. 21, pp. 11-12. ... (Jap. 85)
- : ボタンマツワリダカラ (新称) について [Notes on *Pedicularia (Pediculariona) stylasteris* Hedley var.]. 貝類雑 [Venus: Jap. J. Malac.], 18 (3), pp. 159-160. (With English rés.) (Jap. 89)
- : カワアイとフトヘナタリの産卵 [Spawning of *Cerithidea djadjariensis* and *C. rhizophorarum*]. *Ibid.*, 18 (3), pp. 204-205. (Jap. 90)
- : アラレタマキビの産卵 [The breeding of *Nodilittorina granularis* (Gray)]. *Ibid.*, 18 (3), pp. 206-207. (With English rés.) (Jap. 91)
- : ウラウズカニモリ属の分類学上の位置 [Notes on the systematic position of the genus *Orectospira* Dall 1925]. 動物雑 [Zool. Mag.], 64 (8), pp. 259-260. (With English rés.) (Jap. 98)
- : 二枚貝ヌマコダキガイについて [Notes on *Potamocorbula* (gen. nov. *amurensis* (Schrenck))]. *Ibid.*, 64 (9), pp. 271-272. (With English rés.). (Jap. 99)
- : v. Bertin の記載したサラガイ類3種について [Notes on three Tellinid species described by v. Bertin]. 貝類雑 [Venus: Jap. J. Malac.], 18 (4), pp. 240-243. (With English rés.) (Jap. 102)
- : 岩手県大船渡湾の貝類遺骸の堆積 [Deposit of shell remains in Ofunato Bay, Iwate Pref., northern Japan]. *Ibid.*, 18 (4), pp. 244-251. (With English rés.) (Jap. 103)
- : Fauna of Akkeshi Bay, XXI. Pelecypoda and Scaphopoda. *Publ. Akkeshi Mar. Biol. Stat.*, No. 4, pp. 1-31, pls. 1-7. 250
- : A list of the Cephalaspid Opisthobranchia of Japan. *Bull. Biogeogr. Soc. Japan*, 16-19, pp. 54-79, pl. 4. 264
- & ITOIGAWA, Jyunji [糸魚川淳二]: (1954). 燧灘の貝類遺骸の堆積 [Deposit of shell remains in Hiuchi-nada]. 日本地質学会関西支部会報 [Bull. Kansai Branch Geol. Soc. Japan], No. 25, pp. 1-2.
- & —————: 紀伊水道の貝類遺骸の堆積 [Deposit of shell remains in Kii Strait]. *Ibid.*, No. 27, pp. 3-5.
- & YAMAZI, I. [山路勇]: 宮津湾の生物海洋学的特徴 [Bio-oceanographical characteristics of the Miyazu-wan]. 日本生物地理学会会報 [Bull. Biogeogr. Soc. Japan], 16-19, pp. 399-406. (Jap. 97)

- HARADA, Eiji & KAWANABE, Hiroya [原田英司・川那部浩哉]: コメツキガニの行動と相互作用 [The behavior of the sand-crab, *Scopimera globosa* de Haan, with special reference to the problem of coaction between individuals]. 日生態会誌 [Jap. J. Ecol.], 4 (4), pp. 162-165. (With English rés.) (Jap. 88)
- ISHIBASHI, Masayoshi & HARA, Tadashi: On the content of rubidium and cesium in sea-water. *Rec. Oceanogr. Wks. Japan*, N. S., 2 (1), pp. 45-48.
- KAWAI, David Kiyozo: Carbonic anhydrase in pearl oyster, II. Changes of the enzyme activity in relation to growth and seasons. *Publ. Seto Mar. Biol. Lab.*, 5 (1), pp. 89-94.
- KUBO, Itsuo [久保伊津男]: 本邦産 *Leptochela* 属エビ類およびその分布について [On Leptochelan shrimps in Japan]. 日本生物地理学会会報 [Bull. Biogeogr. Soc. Japan], 16-19, pp. 98-106.
- KURODA, Tokubei [黒田徳米]: A new *Pleurotomaria* from Japan, with a note on a specimen of *P. rumphii* Schepman collected from Taiwan. *Venus: Jap. J. Malac.*, 18 (4), pp. 211-221, pls. 8-9. (With Japanese rés.) 271
- : 日本産イモガイ類 [Conid shells from Japan]. *Ibid.*, 18 (4), pp. 284-302.
- MAÉDA, Hiroshi: Statistical analysis of the influences of various lights upon the distribution of fishes in aqualium I. The influences of various lights upon the distribution of dark adapted fishes. *Bull. Jap. Soc. Sci. Fish.*, 21 (3), pp. 159-163.
- MİYADI, Denzaburo & HABE, T. [宮地伝三郎・波部忠重]: 瀬戸内海と外海との関係 (1), 内湾底生動物の比較 [Relation between the Seto Inland Sea and open sea (1). Comparison of benthic animals in bays]. 海洋資源開発調査研究報告 [Kaiyô-sigen Kaihatu Tyôsa Kenkyû Hôkoku], No. 1, pp. 64-67.
- OHGUSHI, Ryoh-ichi [大串龍一]: 潮間帯にすむ笠貝の習性, II. 2種の笠貝の帰家行動の解析 [Ethological studies on the intertidal limpets, II. Analytical studies on the homing behavior of two species of limpets]. 日生態会誌 [Jap. J. Ecol.], 5 (1), pp. 31-35. (With English rés.) (Jap. 92)
- OHSAWA, Wataru & TSUKUDA, Hiroko: Extruding response of the periwinkle, *Nodilittorina granularis* (Gray). *Journ. Inst. Polytech. Osaka City Univ.*, Ser. D (Biol.), 6, pp. 71-96. 272
- RESEARCH GROUP ON MARINE BIOLOGY, KYOTO UNIV. [京都大学海洋生物研究グループ]: 内湾に於ける魚類の発生階段と生活場所 [Habitats with relation to developmental stages of fishes in the bays]. 生物科学 [Biol. Sci.], 特集号 (生体と環境との相互連関) [Sep. Vol.: *Interrelations between organisms and their environments*], pp. 68-72.
- SAKAI, Tune: On some rare species of crabs from Japan. *Bull. Biogeogr. Soc. Japan*, 16-19, pp. 106-113.
- SHIINO, Sueo M.: Copepods parasitic on Japanese fishes, 9. Family Chondracanthidae, subfamily Chondracanthinae. *Rep. Fac. Fish. Pref. Univ. Mie*, 2 (1), pp. 70-111.

- TAKI, IWAO & HABE, TADASHIGE [滝 巖・波部忠重]: Gastrochaenidae in Japan (日本産コヅツガイ科). *Illust. Cat. Jap. Shells*, 2 (1), pp. 1-6, pl. 1. 265
- & ———: Pholadidae in Japan (日本産ニオガイ科). *Ibid.*, 2 (2), pp. 7-16, pl. 2. 266
- TOKIOKA, TAKASI [時岡 隆]: 日本動物図鑑掲載海鞘類の再検討 [Revision of Ascidians described and illustrated in Japanese "Dobutu Zukan"]. 動物雑 [Zool. Mag.], 64 (1), pp. 20-24. (With English rés.) (Jap. 86)
- : エボヤ (*Styela clava* Herdman) ヨーロッパ水域に産す [Record of *Styela clava* from the European waters]. *Ibid.*, 64 (6), p. 200. (With English rés.) (Jap. 93)
- : オオニシの胚殻計測の1例 [A measurement on protoconchs found in the egg-capsules of *Syrinx probosciferus* (Lamarck)]. 貝類雑 [Venus: Jap. J. Malac.], 18 (4), pp. 278-282. (With English rés.) (Jap. 104)
- : 海鞘(ホヤ)類の採集及び整理法 [Methods of collecting and preserving ascidians]. *Nature Study*, 1 (3/4), p. 13.
- : Notes on some chaetognaths from the Gulf of Mexico. *Bull. Mar. Sci. Gulf & Caribbean*, 5 (1), pp. 52-65.
- : Contributions to Japanese Ascidian fauna, XI. Sporadic memoranda (2). *Publ. Seto Mar. Biol. Lab.*, 4 (2/3), pp. 205-218, pls. 11-14. 254
- : On some plankton animals collected by the Syunkotu-maru in May-June 1954, I. Chaetognatha. *Ibid.*, 4 (2/3), pp. 219-225. 255
- : Ditto, II. Shells of Atlantidae (Heteropoda). *Ibid.*, 4 (2/3), pp. 227-236, pls. 15-16. 256
- : Shells of Atlantidae (Heteropoda) collected by the Sôyô-maru in the southern waters of Japan. *Ibid.*, 4 (2/3), pp. 237-250, pls. 17-18. 257
- : General consideration on Japanese Appendicularian fauna. *Ibid.*, 4 (2/3), pp. 251-261. 258
- : Ascidians from the Palao Islands, II. *Ibid.*, 5 (1), pp. 43-57, pls. 1-6. 268
- : On some plankton animals collected by the Syunkotu-maru in May-June 1954, IV. Thecosomatous pteropods. *Ibid.*, 5 (1), pp. 59-74, pls. 7-13. ... 269
- : Droplets from the plankton net, XVII. A small collection of chaetognaths and pelagic tunicates from the north eastern part of the Indian Ocean. XVIII. Short notes on a few appendicularians collected in the "Kurosio" off Siono-misaki. *Ibid.*, 5 (1), pp. 75-80. 270
- : On some plankton animals collected by the Syunkotu Maru in May-June 1954, III. Appendicularians. *Bull. Biogeogr. Soc. Japan*, 16-19, pp. 251-255. 273
- UMEZAKI, ISAMU [梅崎 勇]: アイミドリの葉状体の発生学的研究 [A developmental study of the frond of *Brachytrichia Quoyi* (Ag.) Born. & Flah.]. 植物分類地理 [Acta Phytotax. Geobot.], 16 (2), pp. 56-62. (With English rés.)... (Jap. 100)

- UTINOMI, Huzio [内海富士夫]: 日本産蔓脚類の研究, II. 地理的分布 [Studies on the Cirripedia of Japan, II. Geographical distribution]. 日本生物地理学会会報 [Bull. Biogeogr. Soc. Japan], 16-19, pp. 113-123. (With English rés.)... (Jap. 94)
- : 同上, III. 生態的事項 (Ditto, III. Ecological evidences), *Ibid.*, 16-19, pp. 124-134. (With English rés.) (Jap. 95)
- : 青ヶ島の蔓脚類 [Cirripedia from Aoga-shima, Izu Islands], 資源研集報 [Misc. Rep. Res. Inst. Nat. Res.], No. 38, pp. 149-150. (Jap. 96)
- : アラフラ海真珠貝漁場より採れたナマコ類 [On holothurians from the pearl oyster ground of the Arafura Sea]. 動物雑 [Zool. Mag.], 64 (9), pp. 273-276. (With English rés.) (Jap. 101)
- : 調査未了の多い本邦の海産動物群 [A great number of marine animal groups insufficiently investigated occur in Japan]. 動物分類学会会務報告 [Business Rep. Jap. Soc. System. Zool.], No. 9, pp. 8-10.
- : 臨海実習法; 浅海動物の観察, I. 南方篇 [Methods of courses of marine biology; Observations of shallow sea animals, I. Southern part of Japan]. 生物学実験法講座 [Series of techniques in biological researches], 10C (1), pp. 1-41, pls. 1-23. 中山書店 [Nakayama Syoten], Tokyo.
- : On five new stoloniferans from Sagami Bay, collected by His Majesty the Emperor of Japan. *Jap. J. Zool.*, 11 (3), pp. 453-467. 251
- : Two new species of *Xenia* from Kusimoto (Coelenterata, Alcyonaria). *Publ. Seto Mar. Biol. Lab.*, 4 (2/3), pp. 263-267. 259
- : Report on the Pycnogonida collected by the Sôyô-maru Expedition made on the continental shelf bordering Japan during the years 1926-1930. *Ibid.*, 5 (1), pp. 1-42. 267
- WIESER, Wolfgang: A collection of marine nematodes from Japan. *Ibid.*, 4 (2/3), pp. 159-181. 252
- YAMANOUCHI, Toshihiko: On the poisonous substance contained in holothurians. *Ibid.*, 4 (2/3), pp. 183-203. 253
- YAMAZI, Isamu: Plankton investigation in inlet waters along the coast of Japan, VIII. The plankton of Miyazu Bay in relation to the water movement. *Ibid.*, 4 (2/3), pp. 269-284. 260
- : Ditto, XVI. The plankton of Tôkyô Bay in relation to the water movement. *Ibid.*, 4 (2/3), pp. 285-309, pls. 19-20. 261
- : Ditto, XVII. Seasonal succession of zooplankton in the inner area of Tanabe Bay from June to October, 1954. *Ibid.*, 4 (2/3), pp. 311-320. 262
- & HORIBATA, Taira: Ditto, XVIII. Seasonal succession of plankton in Taizi Bay in the years 1951-1953. *Ibid.*, 4 (2/3), pp. 321-336, pls. 21-22. ... 263